

ECO SERIES FREE STANDING CABINET



ECONOMIC SOLUTION

Free standing ECO cabinets are low cost and **economic** 19" rack cabinets

SPACIOUS INTERNAL VOLUME

It is suitable for all types of network and server devices with spacious internal volume and diverse size options.

LOCKING SYSTEM

Front door has a **handled lock** mechanism.

Rear door has barrel locking system.

ADJUSTABLE DEPTH

DEVICE INSTALLATION RAILS

1 set including 4 rails are with galvanized coating and adjustable across the depth of the cabinet.



STANDARDS AND COMPLIANCES

ISO9001:2008 Quality Management System

IEC 297-1, 19" mounting standard

IEC 297-2, Overall cabinet dimensions

TS EN 61587-1 Standard.

Environment Friendly

%100 recyclable.



ACTIVE/PASSIVE VENTILATION

By means of 4 ventilation holes on the upper chassis of the cabinet, passive ventilation is achieved if fan modules are attached, and passive ventilation is achieved if not.



DECORATIVE PVC CORNERS

PVC corner pieces at the top and bottom corners of the cabinet furnish an aesthetic appearance to the cabinet

AESTHETIC VIEW

It presents a decorative appearance with its extruded aluminum frame, 4mm, smoothed, antistatic, tempered, high fracture resistance, full length glass door

FIXED SIDE DOORS

Access to the cabinet is allowed from the front and rear doors since the side doors are fixed.

GROUND CONTACT

In standard model cabinets contact to the ground is established with 4 pinion feet of adjustable height, yet a caster group may also be preferred optionally.

RUBBER CABLE INLET MODULE

By means of the rubber cable inlet module at the lower chassis, intense cable harness may be housed in an ordered manner.




DEMOUNTED DELIVERY

Among 2 options of wrapping as demounted and mounted, demounted wrapping is the most preferred one due to dispatch cost considerations and its ease of mounting.


ECO W: 600mm FREE STANDING CABINET

EXPLODED VIEW

WIDTH W: 600mm
DEPTH D: 600 / 800 / 1000mm



CONSTRUCTION DRAWINGS



WIDTH W: 600mm
DEPTH D: 600 / 800 / 1000mm



FREE STANDING ECO CABINETS W=600mm/800mm D=600mm/800mm/1000mm

Loading Capacity : 600kg

Product Code	Product Description	U Measurement (mm)	Product Dimensions WxDxH (mm)	Width: Between Rails (mm)	Depth: Between Rails (mm)	U Measurement (mm)	Package Dimensions WxDxH (mm)	Number in the Package (pcs)	Product Net Weight (kg)	Product Gross Weight (kg)	Assembled Shipment Pallet Dimensions WxDxH (mm)	Assembled Shipment Weight (kg)	Demounted Shipment Pallet Dimensions WxDxH (mm)	Demounted Shipment Number on the Pallet (pcs)	Demounted Shipment Pallet Dimensions WxDxH (mm)	Demounted Shipment Weight (kg)	Height: with Leveling Feet (mm)	Height: with Castor Group (mm)
MR.GTE16U66.XX	16U W=600mm D=600mm Free Standing ECO Cabinet	16U	600x600x770	19"	390	675	680x680x886	1	33,2	41,2	680x680x1026	41,2	680x940x210	8	680x1000x1950	452	886	916
MR.GTE22U66.XX	22U W=600mm D=600mm Free Standing ECO Cabinet	22U	600x600x1050	19"	390	955	680x680x1153	1	41,7	49,7	680x680x1263	49,7	680x1200x210	8	680x1200x1950	537	1153	1183
MR.GTE26U66.XX	26U W=600mm D=600mm Free Standing ECO Cabinet	26U	600x600x1250	19"	390	1155	680x680x1331	1	47,4	55,4	680x680x1440	55,4	680x1380x210	8	680x1400x1950	654	1331	1361
MR.GTE32U66.XX	32U W=600mm D=600mm Free Standing ECO Cabinet	32U	600x600x1540	19"	390	1445	680x680x1597	1	55,9	63,9	680x680x1707	63,9	680x1650x210	8	680x1700x1950	739	1597	1627
MR.GTE36U66.XX	36U W=600mm D=600mm Free Standing ECO Cabinet	36U	600x600x1730	19"	390	1635	680x680x1765	1	61,6	69,6	680x680x1885	69,6	680x1825x210	8	680x1850x1950	826	1775	1805
MR.GTE42U66.XX	42U W=600mm D=600mm Free Standing ECO Cabinet	42U	600x600x2020	19"	390	1925	680x680x2042	1	70,2	78,2	680x680x2152	78,2	680x2100x210	8	680x1900x1950	947	2042	2072
MR.GTE16U68.XX	16U W=600mm D=800mm Free Standing ECO Cabinet	16U	600x800x770	19"	555	675	680x880x886	1	38,25	46,25	680x880x1026	46,25	880x940x210	8	880x1000x1950	532,5	886	916
MR.GTE22U68.XX	22U W=600mm D=800mm Free Standing ECO Cabinet	22U	600x800x1050	19"	555	955	680x880x1153	1	48	56	680x880x1253	56	880x1200x210	8	880x1200x1950	630	1153	1183
MR.GTE26U68.XX	26U W=600mm D=800mm Free Standing ECO Cabinet	26U	600x800x1250	19"	555	1155	680x880x1331	1	54,6	62,6	680x880x1440	62,6	880x1380x210	8	880x1400x1950	756	1331	1361
MR.GTE32U68.XX	32U W=600mm D=800mm Free Standing ECO Cabinet	32U	600x800x1540	19"	555	1445	680x880x1597	1	64,4	72,4	680x880x1707	72,4	880x1650x210	8	880x1700x1950	854	1597	1627
MR.GTE36U68.XX	36U W=600mm D=800mm Free Standing ECO Cabinet	36U	600x800x1730	19"	555	1635	680x880x1765	1	71	79	680x880x1885	79	880x1825x210	8	880x1850x1950	950	1775	1805
MR.GTE42U68.XX	42U W=600mm D=800mm Free Standing ECO Cabinet	42U	600x800x2020	19"	555	1925	680x880x2042	1	81	89	680x880x2152	89	880x2100x210	8	880x1900x1950	1080	2042	2072
MR.GTE26U61.XX	26U W=600mm D=1000mm Free Standing ECO Cabinet	26U	600x1000x1250	19"	740	1155	680x1080x1331	1	59,2	67,2	680x1080x1440	67,2	1080x1380x240	8	1080x1400x2200	772	1331	1361
MR.GTE36U61.XX	36U W=600mm D=1000mm Free Standing ECO Cabinet	36U	600x1000x1730	19"	740	1635	680x1080x1765	1	76,95	84,95	680x1080x1885	84,95	1080x1825x240	8	1080x1850x2200	950	1775	1805
MR.GTE42U61.XX	42U W=600mm D=1000mm Free Standing ECO Cabinet	42U	600x1000x2020	19"	740	1925	680x1080x2042	1	87,57	95,57	680x1080x2152	95,57	1080x2100x240	8	1080x1900x2200	1175	2042	2072

XX= Color Code, 02 means Light Grey RAL 7035 and 01 means Black RAL 9005, the code is added by the customer at the order.

When one of the door options is selected, it should be informed at the order with its selected surface.

The number 0 from the door options stands for "doorless". The standard door options: Front Door=1, Rear Door=2.

COLOR OPTIONS
RAL 7035 LIGHT GREY RAL 9005 BLACK